

**RECORD OF DIPTERA**  
**taken on June 8 and July 28, 1903,**  
**By G. C. HUGHES.**

[These are additions to the list published in the Report for 1902. About 80 species were taken on these two expeditions altogether, of which 20 are not yet identified. (Ab.) signifies Abingdon; (C, to S.) stands for Compton to Sreatley.]

1.	<i>Amalopsis immaculata</i> . Mg.	(Ab.)
2.	<i>Tipula rufina</i> . Mg.	(Ab.)
3.	<i>T. ochracea</i> . Mg.	(Ab.)
4.	<i>Pachygaster acra</i> . Pz.	(Ab.)
5.	<i>Oxycera pygmaea</i> . Fln.	(Ab.)
6.	<i>Leptis.lineola</i> . F.	(Ab.)
7.	<i>Thereva bipunctata</i> . Mg.	(Ab.)
8.	<i>Poecilobothrus nobililatus</i> . L.	(Ab.)
9.	<i>Platychirus albimanus</i> . F.	(Ab.)
10.	<i>P. clypeatus</i> . Mg.	(Ab.)
11.	<i>Catabomba pyrastris</i> . L.	(Ab.)
12.	<i>Syrphus vitripennis</i> . Mg.	(Ab.)
13.	<i>S. corollae</i> . F.	(Ab.)
14.	<i>S. cinctus</i> . Fln.	(C. to S.)
15.	<i>Ascia podagrica</i> . F.	(Ab.)
16.	<i>Helophilus pendulus</i> . L.	(Ab.)
17.	<i>Gymnochaeta viridis</i> . Fln.	(C. to S.)
18.	<i>Sarcophaga haemorrhoidalis</i> . Mg.	(C. to S.)
19.	<i>Stomoxys calcitrans</i> . L.	(C. to S.)
20.	<i>Pollenia rudis</i> . F.	(Ab.)
21.	<i>Pyrellia cadaverina</i> . L.	(C. to S.)
22.	<i>Calliphora vomitoria</i> . L.	(C. to S.)
23.	<i>Euphoria cornicina</i> . F.	(C. to S.)
24.	<i>Polietes lardaria</i> . F.	(C. to S.)
25.	<i>P. albolineata</i> . Fln.	(Ab.)
26.	<i>Spilogaster quadrimacula</i> . Fln.	(Ab.)
27.	<i>Hylemyia. seticrura</i> . Rnd.	(Ab.)
28.	<i>H. nigrescens</i> . Rnd.	(C. to S.)
29.	<i>H. pullula</i> . Ztt.	(Ab.)
30.	<i>Anthomyia pluvialis</i> . L.	(Ab.)
31.	<i>Phorbia ignota</i> . Rnd.	(C. to S.)

32.	<i>Pegomyia versicolor</i> . Mg.	(Ab.)
34.	<i>Dryomyza flaveola</i> . F.	(C. to S.)
35.	<i>Seoptera vibrans</i> . L.	(Ab.)
36.	<i>Meromyza pratorum</i> . Mg.	(C. to S.)
37.	<i>Centor cereis</i> . Fln.	(Ab.)