

RECORD OF FUNGI.

The following fungi, additional to the list published in the "Flora of Oxfordshire" (Druce), have been found by Mr. George C. Hughes within a radius of 2 miles from Rousham in Oxfordshire:-

Amanita magnifica, Fr.
Lepiota. procera, var. *rachodes*, Vitt.
L. acutesquamosa, Wm.
L. Badhami, Berk.
L. clypeolaris Bull.
L. amianthina, Scop.
Tricholoma flavo-brunneum. Fr.
T. albo-brunneum, Pers.
T. scalpturatus, Fr.
T. scalpturatus, var. *argraceus*, Bull.
T. imbricatun, Fr.
T. loricatum, Fr.
T. amethystinum, Scop.
T. sordidum, Fr.
Clitocybe rivulosa, Pers.
C. phyllophila, Fr.
C. inversus, Scop.
Pleurotus petaloides, Bull.
P. applicatus, Batsch.
P. striatulus, Fr.
P. chioneus, Pers.
Collybia longipes, Bull.
C. platyphylla, Fr.
C. fusipes, Bull.
C. tenacellus, Pers.
C. muscigena, Schum.
C. coracina, Fr.
Mycaena ammoniaca, Fr.
M. debilis, Fr.
M. sanguinolenta, A. and S.
M. galopoda, Fr.
M. vulgaris. Pers.
M. citrenellus, Pers.
M. tenerrimus, Berk.

M. capillaris, Schum.
Omphalia fibula, var. *Swarzii*
Pluteus cervinus, var. *patricius*, Schultz.
P. cervinus, var. *eximius*, Saund and Sm.
P. nanus, Pers.
P. nanus, var. *lutescens*, Fr.
P. phlebophorus, Ditm.
Entoloma sericeum, Fr.
Clitopilus orcella, Bull.
Nolamea pisciodiora, Cesati.
Pholiota unicolor, Fl. Dan.
Inocybe asterospora, Quel.
Galera hypnorum, Batsch.
Agaricus campestris, var. *pratensis*, Vitt.
A. sylvaticus, Schaeff.
A. haemorrhoidarius, Schulz.
Stropharia albo-cyaneus, Desm.
Hypholoma lacrymabundus, Fr.
H. hydrophilus, Bull.
Psilocybe semilanceatus, Fr.
Psathyra semivestitus, B. and Br.
Paneolus campanulatus, L.
P. subalteatus, B. and Br.
Coprinus niveus, Fr.
C. deliquescens, Fr.
Bolbitius titubans, Fr.
Paxillus atro-tomentosus, Fr.
Hygrophorus cossus, Fr.
H. pratensis, Fr.
H. niveus, Fr.
H. russocariaceus, B. and Br.
H. ovinus, Fr.
H. puniceus, Fr.
H. chlorophanus, Fr.
H. calyptraeformis, B. and Br.
Gomphideus glutinosus, Fr.
Lactarius turpis, Fr.
L. pubescens, Sch.

L. quietus, Fr.
L. theiogalus, Fr.
L. subdulcis, Fr.
Russula adusta, Fr.
R. adusta, var. *albo-nigra*, Fr.
R. depallens, Fr.
R. lepida, Fr.
Marasmius candidus, Bolt.
M. epiphyllus, Fr.
Boletus badius, Fr.
B. piperatus, Bull.
B. radicans, Krombh.
B. aestivalis, Fr.
B. versipellis, Fr.
Polyporus giganteus, Fr.
P. Rostkovii, Fr.
P. picipes, Fr.
P. chioneus, Fr.
P. caesius, Fr.
P. adustus, Fr.
P. dryadeus, Fr.
Fomes fomentarius, Fr.
F. fulvus, Fr.
Polystictis radiatus, Fr.
P. abietinus, Fr.
Daedalus aurea, Fr.
D. latissima, Fr.
Merulius laeticolor, B. and Br.
Hydnum sordidum, Weinm.
H. farinaceum, Pers.
Thelephora laciniata, Pers.
Stereum ochroleucum, Fr.
Corticium sambuci, Fr.
Cyphella Pimii, Phill.
C. capula, Fr.
C. muscigena, Fr.
C. villosa, Karst.
Clavaria cinerea, Bull.
C. stricta, Pers.

Calocera viscosa, Fr.
Tremella sarcoides, Sm.
Naematelia virescens, Corda.
Dacryomyces torta, Mass.
Mutinus caninus, Fr.
Lycoperdon perlatum, Pers.
L. plumbeum, Pers.
Bispora monilioides, Corda.
Puccinia coronata, Corda.
P. syngenesiarum, Lk.
P. buxi, D.C.
Umcyllii violae, B. and Br.
Cystopus candidus, Lev.
Tubercularia vulgaris, Tode.
Oideum leucoconium, Desm.
O. Tuckeri, Berk.
O. molinioides, Thum.
Trichothecium roseum, Lk.
Cylindrium flavo-virens, Bon.
Zygodesmus fuscus, Corda.
Sepedoneum chrysospermum, Fr.
Syzygites megalocarpus, Ehrb.
Cyathicula coronata, Bull.
Humaria humosa, Fr.
Otidea leporine, Batsch

GEORGE C. HUGHES.